


## 211970 - Asta rulli fix Multi Matic 2450 E15 con 4 nottolini HBB 2.201-2.450 HM1.050 argento

### Disegni tecnici



		<b>L</b>						<b>Nº</b>
argento	2450	2.455	15	1.050	2.201 - 2.450	255	10	211970

### Tabella posizionamento viti

<b>Nº</b>		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
211970	16	18,5	91,5	315	550	705	795	863,5	1.124	1.388	1.465	1.685	1.875	2.065	2.155	2.285	2.370

### Tabella punti di chiusura


<b>Nº</b>		Z1	Z2	Z3	Z4
211970	4	57	750	1.420	2.110

### Dime

			<b>Nº</b>
Dima forature per fori martellina MM	per punta 3 mm	1	203861
Dima forature per fori martellina MM	per punta D=3 mm e D=12 mm	1	203862

## 211970 - Asta rulli fix Multi Matic 2450 E15 con 4 nottolini HBB 2.201-2.450 HM1.050 argento


### Quote della scatola cremonese




- Larghezza fresata per scatola cremonese 12 mm
- Per fissaggio maniglia utilizzare viti SPAX Ø 5 mm o viti M5.

### Schema di foratura

Per serramenti in legno



Per serramenti in PVC e alluminio



211970 - Asta rulli fix Multi Matic 2450 E15 con 4 nottolini  
HBB 2.201-2.450 HM1.050 argento

Regolazione pressione

